Footings
Numerical Study of the Effect of Preloading on Undrained Bearing Capacity. — L. Zdravković, D. M. Potts, and C. Jackson; 3(1), 1-10 (2003).
Computation of Bearing Capacity Factor N_γ—Terzaghi's Mechanism. — D. M. Dewaikar and B. G. Mohapatro; 3(1), 123-8 (2003).

Friction
Numerical Parametric Study of Piezocone Penetration Test in Clays. — Murad Abu-Farsakh, Mehmet Tumay, and George Voyiadjis; 3(2), 170-81 (2003).

Geomaterials
Modeling Compression Behavior of Structured Geomaterials. — Martin D. Liu, John P. Carter, and Chandra S. Desai; 3(2), 191-204 (2003).
General Strength Criterion for Geomaterials. — M. D. Liu and J. P. Carter; 3(2), 253-9 (2003).

Heterogeneity
Characterization of Heterogeneous Soils Using Surface Waves: Homogenization and Numerical Modeling. —R. Chammas, O. Abraham, P. Cote, H. A. Pedersen, and J. F. Semblat; 3(1), 55-63 (2003).

Hydraulic conductivity
Intake Shape Factors for Entry Points in Porous Media with Transversely Isotropic Hydraulic Conductivity. — A. P. S. Selvadurai; 3(2), 152-9 (2003).
Determination of Hydraulic Conductivity Using Piezocone Penetration Test. —George Z. Voyiadjis and Chung R. Song; 3(2), 217-24 (2003).

Imaging techniques
Failure Process of Granite. —L. Li, P. K. K. Lee, Y. Tsui, L. G. Tham, and C. A. Tang; 3(1), 84-98 (2003).

Intakes
Intake Shape Factors for Entry Points in Porous Media with Transversely Isotropic Hydraulic Conductivity. — A. P. S. Selvadurai; 3(2), 152-9 (2003).

Isotropy
Intake Shape Factors for Entry Points in Porous Media with Transversely Isotropic Hydraulic Conductivity. — A. P. S. Selvadurai; 3(2), 152-9 (2003).

Joints
Direct Shear Test of Sandstone-Concrete Joints. —Xue F. Gu, Julian P. Seidel, and Chris M. Haberfield; 3(1), 21-33 (2003).

Landslides
Probability of Failure Occurrence and Recurrence in Rock Slopes Stability Analysis. —Rinaldo Genevois and Roberto W. Romeo; 3(1), 34-42 (2003).

Limit equilibrium
Computation of Bearing Capacity Factor N_γ—Terzaghi's Mechanism. —D. M. Dewaikar and B. G. Mohapatro; 3(1), 123-8 (2003).
New Approach to Limit Equilibrium and Reliability Analysis of Soil Nailed Walls. —Jian-Xin Yuan, Yuwen Yang, Leslie George Tham, Peter Kai Kwong Lee, and Yuet Tsui; 3(2), 145-51 (2003).

Liquefaction
Constitutive Model for Static Liquefaction. —Z. Mróz, N. Boukpeti, and A. Drescher; 3(2), 133-44 (2003).

Loads
Numerical Study of the Effect of Preloading on Undrained Bearing Capacity. — L. Zdravković, D. M. Potts, and C. Jackson; 3(1), 1-10 (2003).

Material properties
General Strength Criterion for Geomaterials. — M. D. Liu and J. P. Carter; 3(2), 253-9 (2003).

Measurement
Numerical Analysis of Neutron Moisture Probe Measurements. — Jie Li, David W. Smith, Stephen G. Fityus, and Daichao Sheng; 3(1), 11-20 (2003).
Optimal Layout of Displacement Measurements for Parameter Identification Process in Geomechanics. — Zhihai Xiang, Gunter Swoboda, and Zhangzhi Cen; 3(2), 205-16 (2003).

Mechanical properties
Modeling Compression Behavior of Structured Geomaterials. — Martin D. Liu, John P. Carter, and Chandra S. Desai; 3(2), 191-204 (2003).

Microstructure
Disturbed State Model for Porous Saturated Materials. — Chandra S. Desai and Zhichao Wang; 3(2), 260-5 (2003).

Mixtures
Determination of Hydraulic Conductivity Using Piezocone Penetration Test. —George Z. Voyiadjis and Chung R. Song; 3(2), 217-24 (2003).

Models
Multiple-Porosity Model for the Transport of Reactive Contaminants in Fissured Soils with Nonequilibrium Partitioning. —Abbas Elzein; 3(2), 182-90 (2003).
Modeling Compression Behavior of Structured Geomaterials. — Martin D. Liu, John P. Carter, and Chandra S. Desai; 3(2), 191-204 (2003).

Numerical analysis
Numerical Study of the Effect of Preloading on Undrained Bearing Capacity. —L. Zdravković, D. M. Potts, and C. Jackson; 3(1), 1-10 (2003).
Numerical Analysis of Neutron Moisture Probe Measurements. — Jie Li, David W. Smith, Stephen G. Fityus, and Daichao Sheng; 3(1), 11-20 (2003).
Numerical Study of Scale Effects on the Stiffness Modulus of Rock Masses. —Marta Castelli, Valeria Saetta, and Claudio Scavia; 3(2), 160-9 (2003).
Numerical Simulation on Damage and Failure of Brittle Rocks under Different Confining Pressures. — Z. H. Chen, L. G. Tham, M. R. Yeung, and P. K. K. Lee; 3(2), 266-73 (2003).

Numerical models
Characterization of Heterogeneous Soils Using Surface Waves: Homogenization and Numerical Modeling. —R. Chammas, O. Abraham, P. Cote, H. A. Pedersen, and J. F. Semblat; 3(1), 55-63 (2003).
Numerical Parametric Study of Piezocone Penetration Test in Clays. —Murad Abu-Farsakh, Mehmet Tumay, and George Voyiadjis; 3(2), 170-81 (2003).

Offshore structures
Suction Caisson Capacity in Anisotropic, Purely Cohesive Soil. —Charles Aubeny, Seung-Woon Han, and James D. Murff; 3(2), 225-35 (2003).

Parameters
Optimal Layout of Displacement Measurements for Parameter Identification Process in Geomechanics. — Zhihai Xiang, Gunter Swoboda, and Zhangzhi Cen; 3(2), 205-16 (2003).

Particles
Effects of the Erosion and Transport of Fine Particles due to Seepage Flow. — Donatella Sterpi; 3(1), 111-22 (2003).

Penetration tests
Numerical Parametric Study of Piezocone Penetration Test in Clays. — Murad Abu-Farsakh, Mehmet Tumay, and George Voyiadjis; 3(2), 170-81 (2003).
Determination of Hydraulic Conductivity Using Piezocone Penetration Test. — George Z. Voyiadjis and Chung R. Song; 3(2), 217-24 (2003).

Plane strain
Constitutive Model for Static Liquefaction. — Z. Mróz, N. Boukpeti, and A. Drescher; 3(2), 133-44 (2003).

Plastic analysis
Suction Caisson Capacity in Anisotropic, Purely Cohesive Soil. — Charles Aubeny, Seung-Woon Han, and James D. Murff; 3(2), 225-35 (2003).

Pore pressure
Determination of Hydraulic Conductivity Using Piezocone Penetration Test. —George Z. Voyiadjis and Chung R. Song; 3(2), 217-24 (2003).

Porosity
Contaminant Transport in Fissured Soils by Three-Dimensional Boundary Elements. —Abbas Elzein; 3(1), 75-83 (2003).
Multiple-Porosity Model for the Transport of Reactive Contaminants in Fissured Soils with Nonequilibrium Partitioning. —Abbas Elzein; 3(2), 182-90 (2003).

Porous materials
Disturbed State Model for Porous Saturated Materials. — Chandra S. Desai and Zhichao Wang; 3(2), 260-5 (2003).

Porous media
Intake Shape Factors for Entry Points in Porous Media with Transversely Isotropic Hydraulic Conductivity. — A. P. S. Selvadurai; 3(2), 152-9 (2003).

Potential flow
Intake Shape Factors for Entry Points in Porous Media with Transversely Isotropic Hydraulic Conductivity. — A. P. S. Selvadurai; 3(2), 152-9 (2003).

Pressures
Numerical Simulation on Damage and Failure of Brittle Rocks under Different Confining Pressures. — Z. H. Chen, L. G. Tham, M. R. Yeung, and P. K. K. Lee; 3(2), 266-73 (2003).

Probability
Probability of Failure Occurrence and Recurrence in Rock Slopes Stability Analysis. —Rinaldo Genevois and Roberto W. Romeo; 3(1), 34-42 (2003).

Reliability analysis
New Approach to Limit Equilibrium and Reliability Analysis of Soil Nailed Walls. —Jian-Xin Yuan, Yuwen Yang, Leslie George Tham, Peter Kai Kwong Lee, and Yuet Tsui; 3(2), 145-51 (2003).

Remedial action
Multiple-Porosity Model for the Transport of Reactive Contaminants in Fissured Soils with Nonequilibrium Partitioning. — Abbas Elzein; 3(2), 182-90 (2003).
Rock masses
Probability of Failure Occurrence and Recurrence in Rock Slopes Stability Analysis. — Rinaldo Genevois and Roberto W. Romeo; 3(1), 34-42 (2003).
Characterization of Strength and Deformation of Jointed Rock Mass Based on Statistical Analysis. — Sridevi Jade and T. G. Sitharam; 3(1), 43-54 (2003).
Numerical Study of Scale Effects on the Stiffness Modulus of Rock Masses. — Marta Castelli, Valeria Saetta, and Claudio Scavia; 3(2), 160-9 (2003).
Rocks
Failure Process of Granite. — L. Li, P. K. K. Lee, Y. Tsui, L. G. Tham, and C. A. Tang; 3(1), 84-98 (2003).
Numerical Simulation on Damage and Failure of Brittle Rocks under Different Confining Pressures. — Z. H. Chen, L. G. Tham, M. R. Yeung, and P. K. K. Lee; 3(2), 266-73 (2003).
Safety factors
New Approach to Limit Equilibrium and Reliability Analysis of Soil Nailed Walls. — Jian-Xin Yuan, Yuwen Yang, Leslie George Tham, Peter Kai Kwong Lee, and Yuet Tsui; 3(2), 145-51 (2003).
Sand
Effects of the Erosion and Transport of Fine Particles due to Seepage Flow. — Donatella Sterpi; 3(1), 111-22 (2003).
Sandstone
Direct Shear Test of Sandstone-Concrete Joints. — Xue F. Gu, Julian P. Seidel, and Chris M. Haberfield; 3(1), 21-33 (2003).
Scale effect
Numerical Study of Scale Effects on the Stiffness Modulus of Rock Masses. — Marta Castelli, Valeria Saetta, and Claudio Scavia; 3(2), 160-9 (2003).
Seepage
Effects of the Erosion and Transport of Fine Particles due to Seepage Flow. — Donatella Sterpi; 3(1), 111-22 (2003).
Shear strength
General Strength Criterion for Geomaterials. — M. D. Liu and J. P. Carter; 3(2), 253-9 (2003).
Shear tests
Direct Shear Test of Sandstone-Concrete Joints. — Xue F. Gu, Julian P. Seidel, and Chris M. Haberfield; 3(1), 21-33 (2003).
Silty soil
Effects of the Erosion and Transport of Fine Particles due to Seepage Flow. — Donatella Sterpi; 3(1), 111-22 (2003).
Simulation
Volumetric Deformation of Natural Clays. — M. D. Liu and J. P. Carter; 3(2), 236-52 (2003).
Numerical Simulation on Damage and Failure of Brittle Rocks under Different Confining Pressures. — Z. H. Chen, L. G. Tham, M. R. Yeung, and P. K. K. Lee; 3(2), 266-73 (2003).
Slope stability
Probability of Failure Occurrence and Recurrence in Rock Slopes Stability Analysis. — Rinaldo Genevois and Roberto W. Romeo; 3(1), 34-42 (2003).
Soil moisture
Numerical Analysis of Neutron Moisture Probe Measurements. — Jie Li, David W. Smith, Stephen G. Fityus, and Daichao Sheng; 3(1), 11-20 (2003).
Soil nailing
New Approach to Limit Equilibrium and Reliability Analysis of Soil Nailed Walls. — Jian-Xin Yuan, Yuwen Yang, Leslie George Tham, Peter Kai Kwong Lee, and Yuet Tsui; 3(2), 145-51 (2003).
Soil pollution
Contaminant Transport in Fissured Soils by Three-Dimensional Boundary Elements. — Abbas Elzein; 3(1), 75-83 (2003).
Multiple-Porosity Model for the Transport of Reactive Contaminants in Fissured Soils with Nonequilibrium Partitioning. — Abbas Elzein; 3(2), 182-90 (2003).
Soil properties
Characterization of Heterogeneous Soils Using Surface Waves: Homogenization and Numerical Modeling. — R. Chammas, O. Abraham, P. Cote, H. A. Pedersen, and J. F. Semblat; 3(1), 55-63 (2003).
Soil suction
Suction Caisson Capacity in Anisotropic, Purely Cohesive Soil. — Charles Aubeny, Seung-Woon Han, and James D. Murff; 3(2), 225-35 (2003).
Statistical analysis
Characterization of Strength and Deformation of Jointed Rock Mass Based on Statistical Analysis. — Sridevi Jade and T. G. Sitharam; 3(1), 43-54 (2003).
Stiffness
Numerical Study of Scale Effects on the Stiffness Modulus of Rock Masses. — Marta Castelli, Valeria Saetta, and Claudio Scavia; 3(2), 160-9 (2003).
Strength
Characterization of Strength and Deformation of Jointed Rock Mass Based on Statistical Analysis. — Sridevi Jade and T. G. Sitharam; 3(1), 43-54 (2003).
Surface waves
Characterization of Heterogeneous Soils Using Surface Waves: Homogenization and Numerical Modeling. — R. Chammas, O. Abraham, P. Cote, H. A. Pedersen, and J. F. Semblat; 3(1), 55-63 (2003).
Tunnels
Optimal Layout of Displacement Measurements for Parameter Identification Process in Geomechanics. — Zhihai Xiang, Gunter Swoboda, and Zhangzhi Cen; 3(2), 205-16 (2003).
Viscosity
Viscosity Effects on One-Dimensional Consolidation of Clay. — Bipul C. Hawlader, Balasingam Muhunthan, and Goro Imai; 3(1), 99-110 (2003).
Void ratio
Viscosity Effects on One-Dimensional Consolidation of Clay. — Bipul C. Hawlader, Balasingam Muhunthan, and Goro Imai; 3(1), 99-110 (2003).
Volumetric strain
Volumetric Deformation of Natural Clays. — M. D. Liu and J. P. Carter; 3(2), 236-52 (2003).
Walls
Curvature and Bending Moments from Inclinometer Data. — P. S. K. Ooi and T. L. Ramsey; 3(1), 64-74 (2003).
Water infiltration
Probability of Failure Occurrence and Recurrence in Rock Slopes Stability Analysis. — Rinaldo Genevois and Roberto W. Romeo; 3(1), 34-42 (2003).
Yield
Viscosity Effects on One-Dimensional Consolidation of Clay. — Bipul C. Hawlader, Balasingam Muhunthan, and Goro Imai; 3(1), 99-110 (2003).

Author Index

Abraham, O.
Characterization of Heterogeneous Soils Using Surface Waves: Homogenization and Numerical Modeling. —R. Chammas, O. Abraham, P. Cote, H. A. Pedersen, and J. F. Semblat; 3(1), 55-63 (2003).

Abu-Farsakh, Murad
Numerical Parametric Study of Piezocone Penetration Test in Clays. —Murad Abu-Farsakh, Mehmet Tumay, and George Voyiadjis; 3(2), 170-81 (2003).

Aubeny, Charles
Suction Caisson Capacity in Anisotropic, Purely Cohesive Soil. —Charles Aubeny, Seung-Woon Han, and James D. Murff; 3(2), 225-35 (2003).

Boukpeti, N.
Constitutive Model for Static Liquefaction. —Z. Mróz, N. Boukpeti, and A. Drescher; 3(2), 133-44 (2003).

Carter, J. P.
Volumetric Deformation of Natural Clays. —M. D. Liu and J. P. Carter; 3(2), 236-52 (2003).
General Strength Criterion for Geomaterials. —M. D. Liu and J. P. Carter; 3(2), 253-9 (2003).

Carter, John P.
Modeling Compression Behavior of Structured Geomaterials. — Martin D. Liu, John P. Carter, and Chandra S. Desai; 3(2), 191-204 (2003).

Castelli, Marta
Numerical Study of Scale Effects on the Stiffness Modulus of Rock Masses. —Marta Castelli, Valeria Saetta, and Claudio Scavia; 3(2), 160-9 (2003).

Cen, Zhangzhi
Optimal Layout of Displacement Measurements for Parameter Identification Process in Geomechanics. — Zhihai Xiang, Gunter Swoboda, and Zhangzhi Cen; 3(2), 205-16 (2003).

Chammas, R.
Characterization of Heterogeneous Soils Using Surface Waves: Homogenization and Numerical Modeling. —R. Chammas, O. Abraham, P. Cote, H. A. Pedersen, and J. F. Semblat; 3(1), 55-63 (2003).

Chen, Z. H.
Numerical Simulation on Damage and Failure of Brittle Rocks under Different Confining Pressures. — Z. H. Chen, L. G. Tham, M. R. Yeung, and P. K. K. Lee; 3(2), 266-73 (2003).

Collins, I. F.
Closure to "Associated and Nonassociated Aspects of the Constitutive Laws for Coupled Elastic/Plastic Materials" by I. F. Collins. —I. F. Collins; 3(1), 130-1 (2003).

Cote, P.
Characterization of Heterogeneous Soils Using Surface Waves: Homogenization and Numerical Modeling. —R. Chammas, O. Abraham, P. Cote, H. A. Pedersen, and J. F. Semblat; 3(1), 55-63 (2003).

Desai, Chandra S.
Modeling Compression Behavior of Structured Geomaterials. — Martin D. Liu, John P. Carter, and Chandra S. Desai; 3(2), 191-204 (2003).
Disturbed State Model for Porous Saturated Materials. — Chandra S. Desai and Zhichao Wang; 3(2), 260-5 (2003).

Dewaikar, D. M.
Computation of Bearing Capacity Factor N_γ—Terzaghi's Mechanism. — D. M. Dewaikar and B. G. Mohapatro; 3(1), 123-8 (2003).

Drescher, A.
Constitutive Model for Static Liquefaction. — Z. Mróz, N. Boukpeti, and A. Drescher; 3(2), 133-44 (2003).

Einav, I.
Discussion of "Associated and Nonassociated Aspects of the Constitutive Laws for Coupled Elastic/Plastic Materials" by I. F. Collins. — A. M. Puzrin and I. Einav; 3(1), 129 (2003).

Elzein, Abbas
Contaminant Transport in Fissured Soils by Three-Dimensional Boundary Elements. —Abbas Elzein; 3(1), 75-83 (2003).
Multiple-Porosity Model for the Transport of Reactive Contaminants in Fissured Soils with Nonequilibrium Partitioning. —Abbas Elzein; 3(2), 182-90 (2003).

Fityus, Stephen G.
Numerical Analysis of Neutron Moisture Probe Measurements. — Jie Li, David W. Smith, Stephen G. Fityus, and Daichao Sheng; 3(1), 11-20 (2003).

Genevois, Rinaldo
Probability of Failure Occurrence and Recurrence in Rock Slopes Stability Analysis. —Rinaldo Genevois and Roberto W. Romeo; 3(1), 34-42 (2003).

Gu, Xue F.
Direct Shear Test of Sandstone-Concrete Joints. —Xue F. Gu, Julian P. Seidel, and Chris M. Haberfield; 3(1), 21-33 (2003).

Haberfield, Chris M.
Direct Shear Test of Sandstone-Concrete Joints. —Xue F. Gu, Julian P. Seidel, and Chris M. Haberfield; 3(1), 21-33 (2003).

Han, Seung-Woon
Suction Caisson Capacity in Anisotropic, Purely Cohesive Soil. —Charles Aubeny, Seung-Woon Han, and James D. Murff; 3(2), 225-35 (2003).

Hawlader, Bipul C.
Viscosity Effects on One-Dimensional Consolidation of Clay. —Bipul C. Hawlader, Balasingam Muhunthan, and Goro Imai; 3(1), 99-110 (2003).

Imai, Goro
Viscosity Effects on One-Dimensional Consolidation of Clay. —Bipul C. Hawlader, Balasingam Muhunthan, and Goro Imai; 3(1), 99-110 (2003).

Jackson, C.
Numerical Study of the Effect of Preloading on Undrained Bearing Capacity. — L. Zdravković, D. M. Potts, and C. Jackson; 3(1), 1-10 (2003).

Jade, Sridevi
Characterization of Strength and Deformation of Jointed Rock Mass Based on Statistical Analysis. — Sridevi Jade and T. G. Sitharam; 3(1), 43-54 (2003).

Lee, P. K. K.
Failure Process of Granite. — L. Li, P. K. K. Lee, Y. Tsui, L. G. Tham, and C. A. Tang; 3(1), 84-98 (2003).
Numerical Simulation on Damage and Failure of Brittle Rocks under Different Confining Pressures. — Z. H. Chen, L. G. Tham, M. R. Yeung, and P. K. K. Lee; 3(2), 266-73 (2003).

Lee, Peter Kai Kwong
New Approach to Limit Equilibrium and Reliability Analysis of Soil Nailed Walls. — Jian-Xin Yuan, Yuwen Yang, Leslie George Tham, Peter Kai Kwong Lee, and Yuet Tsui; 3(2), 145-51 (2003).

Li, Jie
Numerical Analysis of Neutron Moisture Probe Measurements. — Jie Li, David W. Smith, Stephen G. Fityus, and Daichao Sheng; 3(1), 11-20 (2003).

Li, L.
Failure Process of Granite. —L. Li, P. K. K. Lee, Y. Tsui, L. G. Tham, and C. A. Tang; 3(1), 84-98 (2003).

Liu, M. D.
Volumetric Deformation of Natural Clays. —M. D. Liu and J. P. Carter; 3(2), 236-52 (2003).
General Strength Criterion for Geomaterials. —M. D. Liu and J. P. Carter; 3(2), 253-9 (2003).

Liu, Martin D.
Modeling Compression Behavior of Structured Geomaterials. — Martin D. Liu, John P. Carter, and Chandra S. Desai; 3(2), 191-204 (2003).

Mohapatro, B. G.
Computation of Bearing Capacity Factor N_γ—Terzaghi's Mechanism. —D. M. Dewaikar and B. G. Mohapatro; 3(1), 123-8 (2003).

Mróz, Z.
Constitutive Model for Static Liquefaction. —Z. Mróz, N. Boukpeti, and A. Drescher; 3(2), 133-44 (2003).

Muhunthan, Balasingam
Viscosity Effects on One-Dimensional Consolidation of Clay. —Bipul C. Hawlader, Balasingam Muhunthan, and Goro Imai; 3(1), 99-110 (2003).

Murff, James D.
Suction Caisson Capacity in Anisotropic, Purely Cohesive Soil. —Charles Aubeny, Seung-Woon Han, and James D. Murff; 3(2), 225-35 (2003).

Ooi, P. S. K.
Curvature and Bending Moments from Inclinometer Data. — P. S. K. Ooi and T. L. Ramsey; 3(1), 64-74 (2003).

Pedersen, H. A.
Characterization of Heterogeneous Soils Using Surface Waves: Homogenization and Numerical Modeling. — R. Chammas, O. Abraham, P. Cote, H. A. Pedersen, and J. F. Semblat; 3(1), 55-63 (2003).

Potts, D. M.
Numerical Study of the Effect of Preloading on Undrained Bearing Capacity. — L. Zdravković, D. M. Potts, and C. Jackson; 3(1), 1-10 (2003).

Puzrin, A. M.
Discussion of "Associated and Nonassociated Aspects of the Constitutive Laws for Coupled Elastic/Plastic Materials" by I. F. Collins. — A. M. Puzrin and I. Einav; 3(1), 129 (2003).

Ramsey, T. L.
Curvature and Bending Moments from Inclinometer Data. — P. S. K. Ooi and T. L. Ramsey; 3(1), 64-74 (2003).

Romeo, Roberto W.
Probability of Failure Occurrence and Recurrence in Rock Slopes Stability Analysis. — Rinaldo Genevois and Roberto W. Romeo; 3(1), 34-42 (2003).

Saetta, Valeria
Numerical Study of Scale Effects on the Stiffness Modulus of Rock Masses. — Marta Castelli, Valeria Saetta, and Claudio Scavia; 3(2), 160-9 (2003).

Scavia, Claudio
Numerical Study of Scale Effects on the Stiffness Modulus of Rock Masses. — Marta Castelli, Valeria Saetta, and Claudio Scavia; 3(2), 160-9 (2003).

Seidel, Julian P.
Direct Shear Test of Sandstone-Concrete Joints. — Xue F. Gu, Julian P. Seidel, and Chris M. Haberfield; 3(1), 21-33 (2003).

Selvadurai, A. P. S.
Intake Shape Factors for Entry Points in Porous Media with Transversely Isotropic Hydraulic Conductivity. — A. P. S. Selvadurai; 3(2), 152-9 (2003).

Semblat, J. F.
Characterization of Heterogeneous Soils Using Surface Waves: Homogenization and Numerical Modeling. — R. Chammas, O. Abraham, P. Cote, H. A. Pedersen, and J. F. Semblat; 3(1), 55-63 (2003).

Sheng, Daichao
Numerical Analysis of Neutron Moisture Probe Measurements. — Jie Li, David W. Smith, Stephen G. Fityus, and Daichao Sheng; 3(1), 11-20 (2003).

Sitharam, T. G.
Characterization of Strength and Deformation of Jointed Rock Mass Based on Statistical Analysis. — Sridevi Jade and T. G. Sitharam; 3(1), 43-54 (2003).

Smith, David W.
Numerical Analysis of Neutron Moisture Probe Measurements. — Jie Li, David W. Smith, Stephen G. Fityus, and Daichao Sheng; 3(1), 11-20 (2003).

Song, Chung R.
Determination of Hydraulic Conductivity Using Piezocone Penetration Test. — George Z. Voyiadjis and Chung R. Song; 3(2), 217-24 (2003).

Sterpi, Donatella
Effects of the Erosion and Transport of Fine Particles due to Seepage Flow. — Donatella Sterpi; 3(1), 111-22 (2003).

Swoboda, Gunter
Optimal Layout of Displacement Measurements for Parameter Identification Process in Geomechanics. — Zhihai Xiang, Gunter Swoboda, and Zhangzhi Cen; 3(2), 205-16 (2003).

Tang, C. A.
Failure Process of Granite. — L. Li, P. K. K. Lee, Y. Tsui, L. G. Tham, and C. A. Tang; 3(1), 84-98 (2003).

Tham, L. G.
Failure Process of Granite. — L. Li, P. K. K. Lee, Y. Tsui, L. G. Tham, and C. A. Tang; 3(1), 84-98 (2003).
Numerical Simulation on Damage and Failure of Brittle Rocks under Different Confining Pressures. — Z. H. Chen, L. G. Tham, M. R. Yeung, and P. K. K. Lee; 3(2), 266-73 (2003).

Tham, Leslie George
New Approach to Limit Equilibrium and Reliability Analysis of Soil Nailed Walls. — Jian-Xin Yuan, Yuwen Yang, Leslie George Tham, Peter Kai Kwong Lee, and Yuet Tsui; 3(2), 145-51 (2003).

Tsui, Y.
Failure Process of Granite. — L. Li, P. K. K. Lee, Y. Tsui, L. G. Tham, and C. A. Tang; 3(1), 84-98 (2003).

Tsui, Yuet
New Approach to Limit Equilibrium and Reliability Analysis of Soil Nailed Walls. — Jian-Xin Yuan, Yuwen Yang, Leslie George Tham, Peter Kai Kwong Lee, and Yuet Tsui; 3(2), 145-51 (2003).

Tumay, Mehmet
Numerical Parametric Study of Piezocone Penetration Test in Clays. — Murad Abu-Farsakh, Mehmet Tumay, and George Voyiadjis; 3(2), 170-81 (2003).

Voyiadjis, George
Numerical Parametric Study of Piezocone Penetration Test in Clays. — Murad Abu-Farsakh, Mehmet Tumay, and George Voyiadjis; 3(2), 170-81 (2003).

Voyiadjis, George Z.
Determination of Hydraulic Conductivity Using Piezocone Penetration Test. — George Z. Voyiadjis and Chung R. Song; 3(2), 217-24 (2003).

Wang, Zhichao
Disturbed State Model for Porous Saturated Materials. — Chandra S. Desai and Zhichao Wang; 3(2), 260-5 (2003).

Xiang, Zhihai
Optimal Layout of Displacement Measurements for Parameter Identification Process in Geomechanics. — Zhihai Xiang, Gunter Swoboda, and Zhangzhi Cen; 3(2), 205-16 (2003).

Yang, Yuwen
New Approach to Limit Equilibrium and Reliability Analysis of Soil Nailed Walls. — Jian-Xin Yuan, Yuwen Yang, Leslie George Tham, Peter Kai Kwong Lee, and Yuet Tsui; 3(2), 145-51 (2003).

Yeung, M. R.
Numerical Simulation on Damage and Failure of Brittle Rocks under Different Confining Pressures. — Z. H. Chen, L. G. Tham, M. R. Yeung, and P. K. K. Lee; 3(2), 266-73 (2003).

Yuan, Jian-Xin
New Approach to Limit Equilibrium and Reliability Analysis of Soil Nailed Walls. — Jian-Xin Yuan, Yuwen Yang, Leslie George Tham, Peter Kai Kwong Lee, and Yuet Tsui; 3(2), 145-51 (2003).

Zdravković, L.
Numerical Study of the Effect of Preloading on Undrained Bearing Capacity. — L. Zdravković, D. M. Potts, and C. Jackson; 3(1), 1-10 (2003).